



WARRANTY INFORMATION

WHO ARE WE: This warranty is being given to you by Berkely Distribution.

WHAT IS COVERED: Our products are covered by a 5 year warranty against defects in componentry and workmanship. Faux wood products are covered for a period of 1 year and do not include cords.

WHO IS COVERED: This warranty extends only to you as the original purchaser, in a residential application.

WHAT IS NOT COVERED: This warranty does not cover normal wear and tear or any damage or loss caused by abuse or misuse or improper installation. All materials can lose original intensity after long exposure to the sun. When left for extended periods in direct sunlight, plastics and pvc tend to crack and discolor. All cords will eventually wear out, Berkely Distribution considers these things normal wear and tear not covered by this warranty. Colors and textures vary from lot to lot and may not exactly match sample swatches or previous purchases. Products ordered outside of the recommended manufacturing specifications (oversized blinds) are not covered by this warranty. All products/sku's discontinued in the normal course of business are specifically excluded from our warranty. Faux Wood products carry a 1 year warranty. Fraying caused by improper installation (tracking) is not covered.

FOR HOW LONG: This warranty coverage will be for 5 years to you the original buyer at retail on our products. Any implied warranties which you may have are in duration to the time during which you, as the original buyer at retail own our products. Some states do not allow limitations on how long an implied warranty lasts.

WHAT WILL WE DO: If your product is defective during the warranty period we will, at our option, either repair or replace, the defective product. This shall be your sole remedy under this warranty. For local jobs installed by our install team, we offer a 30 day warranty on the installation service. Should you require assistance outside of the 30 day installation period, our standard service call rates will apply. Installation warranty does not apply to jobs installed outside of the DFW area.

NO LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES: Repair or replacement of defective products are your sole remedy under this warranty and Incidental or in no event shall we be liable for transportation costs to or from the dealer, costs of removal or re-installation of our products or incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the limitation or exclusion may not apply to you. Please inspect your orders upon receipt before taking them to your customer's home or office. By doing this we can be sure that any defects or damages never arrive at the customer's home or office. If you are in need of spare parts to keep on hand, please feel free to call our customer service department and we will gladly send them to you.

MOTORIZATION: Products with motorization carry a 3 year warranty. All costs associated with freight damage are the sole responsibility of the dealer.

HOW TO GET SERVICE: To obtain service under this warranty, return your products along with the original sales receipt to the dealer from which it was purchased. You will be responsible for transporting the product to and from the dealer.

YOUR RIGHTS UNDER STATE LAW: This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

Care & Cleaning

HORIZONTAL BLINDS

Regular cleaning with a feather duster or soft, clean cloth is typically all that is needed to keep blinds looking new. Blinds may also be cleaned using a hand-held vacuum with a brush attachment using low suction. Stained wood blinds should be treated periodically with lemon-oil or other wood preservative to protect their finish

SHUTTERS

If the surfaces of the shutters become dirty, wash with a mild soap or detergent using a soft cloth. For difficult to remove dirt or stains, a water-based household cleaner can be used. Chlorine base cleaners or other cleaners containing organic solvents could affect the surface appearance and durability of the product.

Roller Shades

If the fabric of the roller shades becomes dirty, we recommend using a magic eraser.

MATERIALS REFERENCE

CODE	NAME	COLOR	PRICE GROUP	COMP	MAX WIDTH	MAX HEIGHT	MAX SIZE	COMP COLOR	FAB SQ CASS
BD-20001	Bordeaux BO	White	3	100% Polyester	108	96	108x96	White	Y
BD-20010	Bordeaux BO	Beige	3	100% Polyester	108	96	108x96	Off White	Y
BD-20015	Bordeaux BO	Gray	3	100% Polyester	108	96	108x96	Silver	Y
BD-20029	Bordeaux BO	Shadow	3	100% Polyester	108	96	108x96	Silver	Y
BD-10101	Bordeaux LF	White	1	100% Polyester	108	96	108x96	White	Y
BD-10110	Bordeaux LF	Beige	1	100% Polyester	108	96	108x96	Off White	Y
BD-10115	Bordeaux LF	Gray	1	100% Polyester	108	96	108x96	Silver	Y
BD-10129	Bordeaux LF	Shadow	1	100% Polyester	108	96	108x96	Silver	Y
CB-20002	Chambery BO	Nova	3	100% Polyester	96	96	96x96	White	Y
CB-20011	Chambery BO	Taupe	3	100% Polyester	96	96	96x96	Off White	Y
CB-20013	Chambery BO	Linen	3	100% Polyester	96	96	96x96	White	Y
CB-20015	Chambery BO	Gray	3	100% Polyester	96	96	96x96	Silver	Y
CB-20030	Chambery BO	Denim	3	100% Polyester	96	96	96x96	Silver	Y
CH-20001	Chelles BO	White	1	100% Polyester	96	96	96x96	White	Y
CH-20012	Chelles BO	Cream	1	100% Polyester	96	96	96x96	Off White	Y
CH-20014	Chelles BO	Sundew	1	100% Polyester	96	96	96x96	Off White	Y
CH-20017	Chelles BO	Mystic Gray	1	100% Polyester	96	96	96x96	Silver	Y
CH-20022	Chelles BO	Penny	1	100% Polyester	96	96	96x96	Black	Υ
CH-20028	Chelles BO	Blacklore	1	100% Polyester	96	96	96x96	Black	Y
LR-20001	La Rochelle BO	White	3	100% Polyester	108	96	96x96,108x72	White	Υ
LR-20010	La Rochelle BO	Beige	3	100% Polyester	108	96	96x96,108x72	Off White	Y
LR-20011	La Rochelle BO	Taupe	3	100% Polyester	108	96	96x96,108x72	Off White	Y
LR-10101	La Rochelle LF	White	1	100% Polyester	108	96	108x96	White	Y
LR-10110	La Rochelle LF	Beige	1	100% Polyester	108	96	108x96	Off White	Y
LR-10111	La Rochelle LF	Taupe	1	100% Polyester	108	96	108x96	Off White	Y
LM-30301	LeMans 3%	White	3	Polyester/PVC	108	96	96x96,108x72	White	N
LM-30313	LeMans 3%	Linen	3	Polyester/PVC	108	96	96x96,108x72	Off White	N
LM-30315	LeMans 3%	Gray	3	Polyester/PVC	108	96	96x96,108x72	Silver	N
LM-30324	LeMans 3%	Black	3	Polyester/PVC	108	96	96x96,108x72	Black	N
LT-30105	Lorient 1%	White/white	3	Polyester/PVC	108	96	96x96,108x60	White	N
LT-30106	Lorient 1%	White/Linen	3	Polyester/PVC	108	96	96x96,108x60	Off White	N
LT-30107	Lorient 1%	White/Gray	3	Polyester/PVC	108	96	96x96,108x60	Silver	N

MATERIALS REFERENCE

CODE	NAME	COLOR	PRICE GROUP	COMP	MAX WIDTH	MAX HEIGHT	MAX SIZE	COMP COLOR	FAB SQ CASS
LT-30108	Lorient 1%	White/Black	3	Polyester/PVC	108	96	96x96,108x60	Black	N
MS-20001	Marseille BO	White	2	100% Polyester	108	96	108x96	White	Υ
MS-20015	Marseille BO	Gray	2	100% Polyester	108	96	108x96	Silver	Υ
MS-20018	Marseille BO	Pewter	2	100% Polyester	108	96	108x96	Silver	Y
MS-10101	Marseille LF	White	1	100% Polyester	108	96	108x96	White	Y
MS-10115	Marseille LF	Gray	1	100% Polyester	108	96	108x96	Silver	Υ
MS-10118	Marseille LF	Pewter	1	100% Polyester	108	96	108x96	Silver	Υ
MP-30801	Montpelier 8%	White	2	Polyester/PVC	108	96	96x96,108x72	White	N
MP-30813	Montpelier 8%	Linen	2	Polyester/PVC	108	96	96x96,108x72	Off White	N
MP-30824	Montpelier 8%	Black	2	Polyester/PVC	108	96	96x96,108x72	Black	N
OL-30105	Orleans 1%	White/white	2	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30106	Orleans 1%	White/Linen	2	Polyester/PVC	108	96	96x96,108x54	Off White	N
OL-30107	Orleans 1%	White/Gray	2	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30120	Orleans 1%	Gray/Gray	2	Polyester/PVC	108	96	96x96,108x54	Silver	N
OL-30125	Orleans 1%	Black/Black	2	Polyester/PVC	108	96	96x96,108x54	Black	N
OL-30126	Orleans 1%	Black/Gray	2	Polyester/PVC	108	96	96x96,108x54	Black	N
OL-30127	Orleans 1%	Black/Bronze	2	Polyester/PVC	108	96	96x96,108x54	Black	N
OL-30305	Orleans 3%	White/white	2	Polyester/PVC	108	96	96x96,108x72	White	N
OL-30306	Orleans 3%	White/Linen	2	Polyester/PVC	108	96	96x96,108x72	Off White	N
OL-30307	Orleans 3%	White/Gray	2	Polyester/PVC	108	96	96x96,108x72	Silver	N
OL-30320	Orleans 3%	Gray/Gray	2	Polyester/PVC	108	96	96x96,108x72	Silver	N
OL-30325	Orleans 3%	Black/Black	2	Polyester/PVC	108	96	96x96,108x72	Black	N
OL-30326	Orleans 3%	Black/Gray	2	Polyester/PVC	108	96	96x96,108x72	Black	N
OL-30327	Orleans 3%	Black/Bronze	2	Polyester/PVC	108	96	96x96,108x72	Black	N
OL-30503	Orleans 5%	Bright White	1	Polyester/PVC	108	96	96x96,108x72	White	N
OL-30505	Orleans 5%	White/white	1	Polyester/PVC	108	96	96x96,108x72	White	N
OL-30506	Orleans 5%	White/Linen	1	Polyester/PVC	108	96	96x96,108x72	Off White	N
OL-30507	Orleans 5%	White/Gray	1	Polyester/PVC	108	96	96x96,108x72	Silver	N
OL-30512	Orleans 5%	Tan/Tan	1	Polyester/PVC	108	96	96x96,108x72	Off White	N
OL-30520	Orleans 5%	Gray/Gray	1	Polyester/PVC	108	96	96x96,108x72	Silver	N
OL-30525	Orleans 5%	Black/Black	1	Polyester/PVC	108	96	96x96,108x72	Black	N
OL-30526	Orleans 5%	Black/Gray	1	Polyester/PVC	108	96	96x96,108x72	Black	N

MATERIALS REFERENCE

CODE	NAME	COLOR	PRICE GROUP	СОМР	MAX WIDTH	MAX HEIGHT	MAX SIZE	COMP COLOR	FAB SQ CASS
OL-30527	Orleans 5%	Black/Bronze	1	Polyester/PVC	108	96	96x96,108x72	Black	N
OL-30005	Orleans BO	White/White	3	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30006	Orleans BO	White/Linen	3	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30007	Orleans BO	White/Gray	3	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30055	Orleans<1%	White/white	3	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30056	Orleans<1%	White/Linen	3	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30057	Orleans<1%	White/Gray	3	Polyester/PVC	108	96	96x96,108x54	White	N
OL-30070	Orleans<1%	Gray/Gray	3	Polyester/PVC	108	96	96x96,108x54	Silver	N
OL-30075	Orleans<1%	Black/Black	3	Polyester/PVC	108	96	96x96,108x54	Black	N
OL-30076	Orleans<1%	Black/Gray	3	Polyester/PVC	108	96	96x96,108x54	Black	N
OL-300-77	Orleans<1%	Black/Bronze	3	Polyester/PVC	108	96	96x96,108x54	Black	N
SD-30510	Saint Denis 5%	Beige	2	Polyester/PVC	108	96	96x96,108x72	Off White	N
SD-30516	Saint Denis 5%	Lt Gray	2	Polyester/PVC	108	96	96x96,108x72	Silver	N
SD-30519	Saint Denis 5%	Dark Gray	2	Polyester/PVC	108	96	96x96,108x72	Silver	N
SD-30521	Saint Denis 5%	Brown	2	Polyester/PVC	108	96	96x96,108x72	Off White	N
SD-30523	Saint Denis 5%	Dark Brown	2	Polyester/PVC	108	96	96x96,108x72	Off White	N
SD-30524	Saint Denis 5%	Black	2	Polyester/PVC	108	96	96x96,108x72	Black	N
TL-31001	Toulouse 10%	White	2	Polyester/PVC	96	96	96x96	White	N
TL-31013	Toulouse 10%	Linen	2	Polyester/PVC	96	96	96x96	Off White	N
TL-31019	Toulouse 10%	Dark Gray	2	Polyester/PVC	96	96	96x96	Silver	N
VS-20001	Versaille BO	White	3	100% Polyester	108	96	96x96,108x84	White	Y
VS-20009	Versaille BO	Cream	3	100% Polyester	108	96	96x96,108x84	Off White	Y
VS-20015	Versaille BO	Gray	3	100% Polyester	108	96	96x96,108x84	Silver	Y
VS-10101	Versaille LF	White	2	100% Polyester	108	96	108x96	White	Υ
VS-10109	Versaille LF	Cream	2	100% Polyester	108	96	108x96	Off White	Υ
VS-10115	Versaille LF	Gray	2	100% Polyester	108	96	108x96	Silver	Y

SPECIFICATIONS

SHADE INSTALLATION SPECIFICATIONS

	MINIMUM WIDTH	MAXIMUM WIDTH ^[1]	MINIMUM HEIGHT	MAXIMUM HEIGHT	FLUSH IB DEPTH (TOP MOUNT)	FLUSH IB DEPTH (FACE MOUNT)	MINIMUM IB DEPTH (TOP MOUNT)
OPEN ROLL							
CLUTCH & CHAIN ^[2]	10"	108"	12"	96"	2 3/8"	3"	1 1/8"
WAND CONTROL	18"	96"	20"	96"	2 3/8"	3"	1 1/8"
Remote Control Motors • I ITHIUM ION	18"	108"	12"	96"	2 3/8"	3"	1 1/8"
DC PLUG-IN	18"	108"	12"	96"	2 3/8"	3"	1 1/8"
WITH SMALL CASSETTE[3]							
CLUTCH & CHAIN ^[2]	12"	108"	12"	96"	3 1/4"	3 1/4"	1"
WAND CONTROL	19"	96"	20"	96"	3 1/4"	3 1/4"	1"
Remote Control Motors • LITHIUM ION	19"	108"	12"	96"	3 1/4"	3 1/4"	1"
DC PLUG-IN	19"	108"	12"	96"	3 1/4"	3 1/4"	1"
WITH LARGE CASSETTE[3]							
CLUTCH & CHAIN ^[2]	12"	108"	12"	96"	4"	4"	1"
WAND CONTROL	19"	96"	20"	96"	4"	4"	1"
Remote Control Motors • LITHIUM ION	19"	108"	12"	96"	4"	4"	1"
DC PLUG-IN	19"	108"	12"	96"	4"	4"	1"
WITH SQUARE CASSETTE							
CLUTCH & CHAIN[2]	12"	108"	12"	96"	4"	4"	1"
Remote Control Motors • LITHIUM ION	19"	96"	20"	96"	4"	4"	1"
DC PLUG-IN	19"	108"	12"	96"	4"	4"	1"
WITH 3" FASCIA							
CLUTCH & CHAIN ^[2]	12"	108"	12"	96"	3 1/8"	3 1/8"	1"
Remote Control Motors • LITHIUM ION	19"	96"	20"	96"	3 1/8"	3 1/8"	1"
DC PLUG-IN	19"	108"	12"	96"	3 1/8"	3 1/8"	1"
WITH 4" FASCIA							
CLUTCH & CHAIN ^[2]	12"	108"	12"	96"	4 1/8"	4 1/8"	1"
Remote Control Motors • LITHIUM ION	19"	96"	20"	96"	4 1/8"	4 1/8"	1"
DC PLUG-IN	19"	108"	12"	96"	4 1/8"	4 1/8"	1"

A deduction of 1/8" will be made to all IB shades.

SHADE OPTIONS

ROLL TYPE

Standard or reverse roll. Reverse roll not available in cassettes.





STANDARD ROLL

REVERSE ROLL

HEM BARS

FABRIC WRAPPED

· Standard for all fabrics.



FABRIC WRAPPED HEM BAR

CONTROL OPTIONS

CLUTCH CONTROL SHADES

- Clutches and plastic bead chain loops are available in six coordinating colors: white, beige, gray, warm gray, bronze, and black.
- Standard chain length is ¾ length of shade. Custom chain lengths available as a surcharge option.
- Metal bead chain is available as a surcharge option.
- Spring assist is available as a surcharge option for heavier shades. See Specification Note [2] on page 16 for size limitations.
- Compliant cord tensioners are provided with clutch control shades.
 Cord tensioners secure the cord loop to the wall or window.
 They must be installed for the shade to be compliant with safety regulations and to operate properly.



MOTORIZED SHADE CONTROL OPTIONS

WAND CONTROL SHADES

- Wand control shades are operated by a rechargeable lithium-ion battery motor.
- Battery charging port located in back of the wand handle.
- 1 available wand colors: white





WAND CONTROL SHADE

REMOTE CONTROL SHADES

Remote motor shades are available with rechargeable and hardwired motors which can be controlled with remotes, wall switches, or motor hubs.

See available options below.



REMOTE (multi-channel)



REMOTE MOTORS

	RECHARGEABLE LITHIUM ION	12 V DC HARDWIRED
MOTOR TYPE	Standard Lift Power Lift	Standard Lift
POWER SUPPLY	Internal	Hardwired
CHARGER	16½' Micro USB	-
REMOTE	15-Channel Remote 15-Channel Wall Switch	15-Channel Remote 15-Channel Wall Switch



REMOTE CONTROL SHADE

TOP TREATMENTS

ROUNDED CASSETTE WITH FABRIC INSERT

- Available in 3" and 4" sizes. Maximum width and length for 3" cassette is 78".
- Available in 4 colors: white, off white, silver, and black.
- Fabric insert can be custom ordered in any fabric.
- Standard roll only.



ROUNDED CASSETTE VALANCE with fabric insert

SQUARE CASSETTE

- Available in 3" and 4" sizes. Maximum width and length for 3" cassette is 78".
- Available in 4 colors: white, off white, silver, and black.
- Fabric wrap available as a surcharge option. Can be custom ordered in most fabrics. See exceptions in Light-Filtering Materials Reference table.
- Standard roll only.



SQUARE CASSETTE VALANCE with fabric wrap (surcharge)









ROUNDED AND SQUARE CASSETTE VALANCE COLORS with matching chain loop

OPEN ROLL SHADES


- Clutch and motorized open roll shades come standard with silver brackets and color-coordinated bracket covers. White and black brackets are also available and are not supplied with bracket covers.
- Cordless open roll shades are available with either white or black raceway bar, installation brackets, and colorcoordinated end caps.




SPECIFICATIONS

BRACKET DIMENSIONS


STANDARD OPEN ROLL BRACKET (Clutch and Motorized Shades)






TOP TREATMENT MOUNTING DIMENSIONS

ROUNDED CASSETTE
Small and large cassette dimensions





ROLLER SHADE PRICING

PRICE GROUP	1								1	WIDTH							
BORDEAUX LF,				24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"[2]
CHELLES BO, LA ROCHELLE			36"	133	152	175	199	220	241	261	282	282	304	346	390	390	439
LF,MARSEILLE		티	48"	152	175	206	230	256	280	304	330	330	357	407	458	458	515
LF,ORLEANS 5%	5	ENG	60"	172	199	230	257	286	315	343	372	372	404	461	520	520	584
		ا ت	72"	179	208	240	270	302	332	362	393	393	426	488	550	550	619
			84"	206	241	280	315	352	388	424	463	463	505	578	653	653	734
			96"	222	261	303	342	383	423	463	505	505	552	633	716	716	805
	Cassette	e / Fa	acia	130	130	160	188	188	225	225	266	266	298	298	336	336	374

PRICE GROUP 2								1	WIDTH							
MARSEILLE BO,			24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"[2]
MONTPELIER 8%,		36"	142	164	188	216	240	263	286	308	308	334	381	430	430	483
ORLEANS 1% & 3%, SAINT DENIS 5%,	표	48"	164	196	226	253	281	309	336	365	365	395	451	509	509	572
TOULOUSE10%,	LENG.	60"	187	218	253	285	317	350	382	415	415	450	516	582	582	655
VERSAILLE LF	Щ	72"	197	230	266	301	336	370	405	440	440	476	547	618	618	696
		84"	228	267	311	353	394	436	477	521	521	569	653	737	737	830
		96"	246	290	339	385	432	477	523	572	572	625	718	812	812	913
Cassett	te / F	acia	130	130	160	188	188	225	225	266	266	298	298	336	336	374

PRICE GROUP 3								,	WIDTH							
BORDEAUX BO,			24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"[2]
CHELLES BO,		36"	159	185	213	246	275	303	330	356	356	386	442	498	498	561
LA ROCHELLE BO, MARSEILLE BO,	표	48"	186	224	259	291	326	359	392	426	426	462	529	598	598	673
ORLEANS BO	NG	60"	214	253	293	333	372	412	450	490	490	532	612	692	692	778
CHAMBERY BO ORLEANS < 1%	Щ	72"	226	266	310	353	395	437	479	521	521	566	651	737	737	829
LORIENT 1%		84"	265	314	366	418	469	520	571	623	623	681	783	887	887	997
LE MANS 3%		96"	288	343	401	459	516	573	629	687	687	752	865	981	981	1103
Casset	te / F	acia	130	130	160	188	188	225	225	266	266	298	298	336	336	374

 CORDLESS
 \$50.00

 CHARGER
 \$35.00

 BASIC MOTOR (NOV 2024)
 \$200.00

 BASIC WAND MOTOR (NOV 2024)
 \$150.00

 REMOTE CTRL
 \$70.00

 BLUE TOOTH RF MOTOR
 \$292.00

 LOW VOLTAGE 12 VOLT DC MOTOR (NOV 2024)
 \$350.00



Child Safe Remote Control Motor

Retrofit

Upgrade manual shade systems by simply swapping the clutch for a motor, eliminating the need to re-make the shade.


Remote Control


A 5 Channel Remote Control with a sleek design is used to operate the motor with basic up, down and stop functionality.

Child Safe

A entry level motor with basic functionality to support our child safe suite of products.


Dimensions





Control Method

5 Channel Basics Remote Control



Product Specifications

Voltage	5V-DC
Torque	1.1Nm
Max Run Time	12 min.
Speed	28 RPM (Adjustable to 20 or 24)
IP Rating	IP20
Temp Working Range	32°F to 140°F (0°C to 60°C)
Insulation Class	Ш

Limit Switch Type	Electronic
Current	0.80 A
Battery Size/Type	2600mAH
Sound Level	56dBs, testing under ISO3745
Power	9.6 W
Motor - Part # (20 units)	MT01-1325-069026-CT - 5V1.1NM Motor [025/5V/20RPM] BASICS
Remote - Part #	MT02-0101-069011 5 Channel Basics Remote Control



Child Safe Wand Motor

Retrofit

Upgrade manual shade systems by simply swapping the clutch for a motor, eliminating the need to re-make the shade.


Wand Control

A 36" inch slimline wand is used to operate the motor with basic up, down and stop functionality.

Child Safe

A entry level motor with basic functionality to support our child safe suite of products.

Dimensions



Control Method

*Wand Control 36" (Only White)



Product Specifications

Voltage	5V-DC
Torque	1.1Nm
Max Run Time	12 min.
Speed	20 RPM (Adjustable to 25 or 30)
IP Rating	IP20
Temp Working Range	32°F to 140°F (0°C to 60°C)
Insulation Class	III

Limit Switch Type	Electronic
Current	0.80 A
Battery Size/Type	2600mAH
Sound Level	56dB's
Power	9.6 W
Motor - Part #	MT01-1325-069021-CT (20 units per Carton)
Wand - Part #	MT03-0301-069034 (20 units per Carton)

