



Berkely Roller International

Product Guide



Table of Contents

Product Information	1-2
Products	
Clutch Continuous Cord Loop Tension Device	3
Cordless	4
Motorized Shade Control Options	5
Roller Fabric List	6-12
Roller Price Groups	13-15
Product Maximums and Minimums	16
Measuring	17
Child Safety Information	18

Brackets, Headrails, and Bottomrail Information

CURVED HEADRAIL BRACKETS

These brackets support curved shade headrails and feature a (quick-release) mechanism for fast installation and easy removal without tools.



STOPPERS

Prevents the bottom-rail from looping up into the headrail when raised up, or with motorization.


FLAT HEADRAIL BRACKETS

Flat headrail (spring) brackets offer a discreet, low-profile design that securely supports shades while enabling quick snap-in installation.






CURVED HEADRAIL

(standard option)
Matching fabric wrapped comes standard





FLAT HEADRAIL

(upgrade option)
Metal - Painted or Fabric Wrapped





BACK

FRONT



BACK

FRONT



BOTTOM RAIL

With included Adjustable Bottom Rail Counter-Weight.

TOP TREATMENT - Colors



White



Off White



Silver




Black

Hem Bars



Fabric Wrapped



Heat Sealed


Light Block PVC
Colors: White/Vanilla/Black/Gray



Products


Clutch | Continuous Cord Loop | Safety Tension Device

In compliance with the CPSC's new guidelines for child safety, our standard CCL Safety Tension Device offers superior safety which can be mounted to the frame of the window.




INSIDE MOUNT

Minimum depth for flush inside mount including installation brackets: 3 1/4"



OUTSIDE MOUNT

Minimum surface area required for mounting: 3/4"




Cord Option

Bead Option Plastic

Bead Option Metal



Outside Mount




These devices meet the requirements of the ANSI/WCMA A100.1-2022 standard, which is the industry standard for window covering safety.

Products


Cordless

In compliance with the CPSC's new guidelines for child safety, our standard CCL Safety Tension Device offers superior safety which can be mounted to the frame of the window.




INSIDE MOUNT

Minimum depth for flush inside mount including installation brackets: 3 1/4"




OUTSIDE MOUNT

Minimum surface area required for mounting: 3/4"



Pull Clip




These devices meet the requirements of the ANSI/WCMA A100.1-2022 standard, which is the industry standard for window covering safety.

Products


Motorized Shade Control Options

In compliance with the CPSC's new guidelines for child safety, our standard CCL Safety Tension Device offers superior safety which can be mounted to the frame of the window.





INSIDE MOUNT

Minimum depth for flush inside mount including installation brackets: 3 1/4"



OUTSIDE MOUNT

Minimum surface area required for mounting: 3/4"



These devices meet the requirements of the ANSI/WCMA A100.1-2022 standard, which is the industry standard for window covering safety.

Roller Shade And Solar Fabric List

Style Name	Color Name	Price group	Opacity	Max Width
SPANISH BAY		1	Light Filtering A	90 1/2"
SPANISH BAY BO		3	Room Darkening	90 1/2"
WINSTON HEIGHTS		1	Room Darkening	118"
WINSTON HEIGHTS BO		3	Room Darkening	118"
TARPUM BAY		2	Room Darkening	110"
TARPUM BAY BO		3	Room Darkening B	110"
NORTH ANDROS		2	Light Filtering B	118"
NORTH ANDROS BO		3	Room Darkening B	118"
GOLDEN GROVE		1	Light Filtering A	90 1/2"
GOLDEN GROVE BO		3	Room Darkening A	90 1/2"
PIRATES WELL		2	Light Filtering B	110"
PIRATES WELL BO		3	Room Darkening B	110"
HOPETOWN		2	Light Filtering B	118"
HOPETOWN BO		3	Room Darkening B	118"
BEACH ESTATE		2	Light Filtering B	118"
BEACH ESTATE BO		3	Room Darkening B	118"
HIGH ROCK		2	Light Filtering B	118"
HIGH ROCK BO		3	Room Darkening B	118"
PELICAN POINT		2	Light Filtering B	118"
PELICAN POINT BO		3	Room Darkening B	118"
CARRIBEAN WAVES		2	Light Filtering B	118"
CARRIBEAN WAVES BO		3	Room Darkening B	118"

Roller Shade And Solar Fabric List

Style Name	Color Name	Price group	Opacity	Max Width
CABLE BEACH		2	Light Filtering B	118"
CABLE BEACH BO		3	Room Darkening	118"
CABANA NIGHTS	Smokey Air	1	Light Filtering A	110"
CABANA NIGHTS	Light Breeze	1	Light Filtering A	110"
CABANA NIGHTS	Greybeard	1	Light Filtering A	110"
CABANA NIGHTS	Macadamia	1	Light Filtering A	78 1/2"
CABANA NIGHTS	Sea Smoke	1	Light Filtering A	78 1/2"
CABANA NIGHTS	Emerald Shores	1	Light Filtering A	78 1/2"
CABANA NIGHTS	Inland Fog	1	Light Filtering A	78 1/2"
CABANA NIGHTS	Lapis Stone	1	Light Filtering A	78 1/2"
CABANA NIGHTS BO	Dark Smokey Air	3	Room Darkening	110"
CABANA NIGHTS BO	Dark Light Breeze	3	Room Darkening	110"
CABANA NIGHTS BO	Dark Greybeard	3	Room Darkening	110"
CABANA NIGHTS BO	Dark Macadamia	3	Room Darkening	78 1/2"
CABANA NIGHTS BO	Dark Sea Smoke	3	Room Darkening	78 1/2"
CABANA NIGHTS BO	Dark Emerald Shores	3	Room Darkening	78 1/2"
CABANA NIGHTS BO	Dark Inland Fog	3	Room Darkening	78 1/2"
CABANA NIGHTS BO	Dark Lapis Stone	3	Room Darkening	78 1/2"
ETERNAL SPRINGS		1	Light Filtering A	110"
ETERNAL SPRINGS BO		3	Room Darkening	110"

Pricing

Light Filtering 1		Alden, Urban Sunrise, Mist, Fine Wine, Shell Tint, Soft Lights, Tuffe, Slate, Uptown, Linen, Canvas, Linen Breeze, Smokey Air, Light Breeze, Greybeard, Macadamia, Sea Smoke, Emerald Shores, Inland Fog, Lapis Stone, Sunbleached, Whitestone, Cabana Wood, Porpoise, Seashell, Weathered Walnut, Butter Rum, White Whale														
Height Up To	Width Up To															
	24"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	
36"	171	197	223	248	274	300	326	352	378	403	429	455	481	507	593	
42"	177	203	230	256	282	309	335	362	388	414	440	467	493	519	616	
48"	182	209	236	263	289	317	344	371	397	424	451	478	505	531	639	
54"	188	215	242	270	297	325	352	380	406	434	461	489	516	543	662	
60"	193	221	248	276	304	332	360	388	415	443	471	499	527	554	684	
66"	199	227	256	283	312	340	369	397	425	454	482	510	538	566	707	
72"	204	233	263	290	319	348	377	405	434	464	493	521	549	578	729	
78"	210	239	269	297	327	356	386	415	444	474	503	532	561	590	753	
84"	215	245	274	304	334	364	394	424	453	483	513	542	573	602	777	
90"	221	251	281	311	342	372	403	433	463	494	524	553	584	615	799	
96"	226	257	287	318	349	380	411	441	472	504	534	564	595	627	821	
108"	274	317	359	399	441	483	523	564	606	647	688	730	772	822	868	
120"	291	334	378	420	465	507	550	594	638	681	724	768	812	866	914	
132"	306	351	397	442	488	532	578	623	669	714	761	805	852	909	959	
144"	332	381	429	478	526	574	622	671	720	768	817	866	915	976	1027	

Light Filtering 2		Moonstone, Faded Blues, Heirloom, Luxury, Elemental, Whisper, Candlelight, Vapor, Splash, Stormwatch, Celestial, Frosted Twilight, Frosted Almond, Frosted Antelope, Paper Moon, Dewmist, Crest, Shoreline, Riptide, Swell, Northshore, Whirlpool, Valley Mist, Shortbread, Canyon Clay, Smokey Pearl, Mystery														
Height Up To	Width Up To															
	24"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	
36"	189	217	245	274	302	331	359	387	417	444	473	502	530	558	651	
42"	195	225	254	284	313	342	371	401	431	460	489	519	548	577	680	
48"	202	233	262	293	323	354	384	415	445	475	505	535	566	596	710	
54"	209	240	271	302	333	365	396	427	458	490	521	552	584	614	739	
60"	215	247	279	311	343	376	408	441	472	504	536	569	601	633	768	
66"	222	255	288	320	354	387	420	453	486	519	553	586	619	652	798	
72"	228	262	297	330	364	398	432	465	500	535	569	602	636	670	827	
78"	235	270	305	339	374	410	445	479	514	550	584	619	657	689	858	
84"	241	277	313	348	384	421	456	492	528	564	600	635	672	707	888	
90"	248	285	322	358	395	432	469	506	542	579	616	652	689	726	917	
96"	255	292	330	367	405	443	481	518	555	594	631	669	706	745	945	
108"	305	355	404	453	503	552	600	650	698	748	797	846	896	954	1006	
120"	323	375	427	478	531	580	632	684	736	788	839	891	943	1005	1065	
132"	341	395	450	505	559	613	668	721	777	831	886	940	996	1062	1124	
144"	368	427	486	545	603	662	720	781	839	897	957	1016	1076	1147	1211	

Pricing

Room Darkening	Spanish Bay BO, Winston Heights BO, Golden Grove BO, Cabana Nights BO, Eternal Springs BO, Tarpum Bay BO, North Andros BO, Pirates Well BO, Hopetown BO, Beach Estate BO, High Rock BO, Pelican Point BO, Carribean Waves BO, Cable Beach BO														
Height Up To	Width Up To														
	24"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
36"	210	242	273	305	337	370	400	432	465	496	528	560	591	623	723
42"	218	252	284	318	351	385	417	451	485	517	551	584	618	651	761
48"	226	261	295	331	365	399	434	469	505	538	574	608	644	678	799
54"	234	270	307	343	379	415	451	488	525	560	597	633	670	706	838
60"	242	279	318	355	393	430	468	507	544	581	619	658	695	733	876
66"	250	289	329	368	407	446	485	525	564	603	642	682	721	761	914
72"	258	298	339	380	420	461	502	542	584	625	665	706	747	788	952
78"	266	308	350	392	434	477	519	561	603	646	688	730	773	815	991
84"	273	318	361	404	448	493	535	579	623	667	711	754	798	842	1030
90"	282	327	373	417	463	508	552	598	643	689	734	779	824	870	1068
96"	290	336	384	429	477	523	569	617	662	710	756	803	849	897	1105
108"	344	403	462	522	581	641	698	759	817	877	936	995	1056	1124	1183
120"	364	426	489	551	614	674	737	800	862	925	987	1049	1112	1185	1260
132"	385	451	518	584	650	715	782	848	915	981	1048	1114	1181	1259	1336
144"	413	486	558	631	702	775	847	921	992	1064	1137	1209	1283	1367	1449

Valance (Square or Curved) *if no valance ordered, shades will come "Open Roll"*

24"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
80	120	120	160	160	200	200	240	240	280	280	320	320	360	402

Pricing

Add Ons / Surcharge Pricing	
Basics Motor	\$200
Basics Wand Motor	\$170
5 Channel Basics Remote	\$75
1.1 LI Rechargeable Motor	\$315
15 Channel LI/DC Remote	\$75
Cordless Surcharge	\$135
Charger/Cable	\$70
Cordless	\$135
Width over 84" Freight Charge	\$150
Side Light Blocker	\$10 / ft

Roller Shade and Solar Shade Product Information

Cordless System		
Specifications	Minimum	Maximum
Width	20"	96"
Height	24"	96"


Clutch System		
Specifications	Minimum	Maximum
Width	10"	96"
Height	24"	120"

RD Fabric with Flat Headrail can only have a max height of 86"

MOTORIZED RECHARGEABLE RADIO REMOTE CONTROL SYSTEM (WITH WAND)		
Specifications	Minimum	Maximum
Width	20"	96 on 1.5" tube / 118 on 2"Tube
Height	24"	120"


RD Fabric with Square Casset can only have a max height of 86"
 Open Roll Motorized has a min Width of 23"

Measuring



INSIDE MOUNT WIDTH (IB)


- Measure the exact width of the inside edge of the window frame. – Top, Middle, and Bottom.
- Make all measurements to the nearest 1/8th inch, round DOWN for width.
- Take the SMALLEST of the 3 measurements, this is the width that you will order.
- Production department will make the necessary deductions to ensure the shade fits inside your window.



INSIDE MOUNT HEIGHT (IB)


- Measure the exact height from the top inside edge down to the window sill in 3 places. – Left, Middle, Right
- Make all measurements to the nearest 1/8th inch, round UP for height.
- Take the LARGEST of the 3 measurements, this is the height that you will order.

NOTE: IB - THE FACTORY WILL DEDUCT 1/8-3/16" OFF THE TOTAL WIDTH.



OUTSIDE MOUNT WIDTH (OB)

- Measure the exact width of the window frame or how wide you would like the shade to be.
- Be sure to measure wide enough to cover the entire window (and trim if desired) to provide maximum light coverage.
- Example: If the window opening is 36" wide, it might be helpful to order 40" if the space allows. This will provide 2" coverage on each side of the window.
- No deductions/additions will be made to the width ordered.



OUTSIDE MOUNT HEIGHT (OB)

- Measure the height you would like the shade to be by measuring top to bottom.
- Be sure to measure high enough to cover the entire window (and trim if desired) to provide maximum light coverage.
- Example: If the window opening is 60" high, it might be helpful to order 64" if the space allows. This will provide 2" coverage on top and bottom of the window.
- No deductions/additions will be made to the height ordered.

NOTE: OB - THE FACTORY WILL MAKE THE PRODUCT TO THE EXACT MEASUREMENTS PROVIDED.
Shades can be +/- an additional 1/8" within factory standard post production.

CHILD SAFETY INFORMATION

THE MANUFACTURER IS COMMITTED TO CHILD SAFETY REGARDING WINDOW COVERINGS

The Manufacturer has committed to join the Window Covering Manufacturers Association's new safety standards in the efforts to prevent accidents involving children and pets with accessible cords and by offering other product options that are child-safe custom window coverings.

"BEST FOR KIDS" CERTIFIED PROGRAM

Window Covering Manufacturers Association (WCMA) announced the industry's first third-party certification program designed to help consumers and retailers identify window covering products that are best suited for use in homes with young children. To be part of the new Best for Kids program, products are submitted to a WCMA-recognized third party testing laboratory where the products are required to meet stringent criteria. Once the products meet these criteria, they are Certified Best For Kids. The Manufacturer has a number of products with this distinction.



CHILD SAFETY IS SERIOUS BUSINESS

That's why the Manufacturer is removing all cords from products, in compliance with the Consumer Product Safety Commission's new guidelines for child-safe window treatments. A variety of control options, including the Safety Wand, traditional cordless control, and motorization, are available, providing the same convenience while making safety a top priority. For more information on the CPSC's new guidelines and the Manufacturer's compliance with them,



please visit: [federalregister.gov/documents/2022/11/28/2022-25041/safety-standard-for-operating-cords-on-custom-window-coverings](https://www.federalregister.gov/documents/2022/11/28/2022-25041/safety-standard-for-operating-cords-on-custom-window-coverings).



OUR SOLUTION

In compliance with the CPSC / WCMA / ANSI new guidelines for child safety, our standard CCL Safety Tension Device offers superior safety which can be mounted to the frame of the window.

Outside Mount



The new, optional Safe Wand control system, introduced in compliance with the CPSC / WCMA / ANSI new guidelines for child safety, offers superior safety without compromising on convenience.

Optional

Hold button and slide along wand to raise shade
or
Hold button and slide along wand to lower shade



These devices meet the requirements of the ANSI/WCMA A1001-2022 standard, which is the industry standard for window covering safety.

REESE'S LAW

These products are designed and manufactured in compliance with Reese's Law (P.L. 117-171), including the safety standard for button cell and coin batteries (16 CFR Part 1263), which incorporates by reference UL 4200A-2023.

⚠️ WARNING	
<ul style="list-style-type: none"> • INGESTION HAZARD: This product contains a button cell or coin battery • DEATH or serious injury can occur if ingested. • A swallowed button cell or coin battery can cause Internal Chemical Burns in as little as 2 hours. • KEEP new and used batteries OUT OF REACH of CHILDREN • Seek immediate medical attention if a battery is suspected to be swallowed or inserted inside any part of the body. 	

Berkely Roller International

Designer Roller Shades

Premium Fabrics

Precision Manufacturing

Reliable Lead Times

Partner With Berkely Distribution

www.berkelydistribution.com

info@berkelydistribution.com

